

# ARTO LED

LED GO!

## OFFICE LIGHTING



### CHARACTERISTIC

Supply voltage:	230V
Frequency:	50Hz
Ingress protection IP:	IP20
Impact resistance IK:	IK07
Rated power:	30W, 64W, 77W
Energy efficiency class:	A
Electrical protection class:	I
Dimensions:	655/650/87mm
Colour temperature:	4000K
Mounting version:	Recessed
Material of the diffuser:	PS
Type of the diffuser:	Opal
Light source:	LED GO!

### SPECIFICATION

Recessed modular fitting with an integrated energy-saving LED GO! panel, made of white powder coated steel. Opal diffuser made of polystyrene ensures even light distribution. Central part of the fitting might be filled with part of a ceiling or any other decorative element to perfectly match architectural design. Specification: colour temperature 4000K; CRI>80, lifespan of the panels 50 000 h (L70B50)  $t = 25$  C.

### APPLICATION

Multipurpose fitting intended for mounting in modular ceilings in offices, representative rooms or general purpose rooms. It can be also used as the main light source and it is suitable for work requiring sight focus. The fitting will be perfect as a new application or while replacing the traditional fluorescent fittings with energy-saving LED solutions.

## ARTO LED



## OFFICE LIGHTING

## AVAILABLE OPTIONS

[Click on index to go to detailed catalogue extract](#)

Index	Rated power	Colour temperature	Luminous flux **	Material of the diffuser	Type of the diffuser	Power supply
» 019111	30W	4000K	2500lm	PS	Opal	
» 020513	30W	4000K	2500lm	PS	Opal	DALI
» 020520	64W	4000K	5250lm	PS	Opal	DALI
» 020490	64W	4000K	5250lm	PS	Opal	
» 019128	77W	4000K	5700lm	PS	Opal	
» 020506	77W	4000K	5700lm	PS	Opal	DALI

\*\* Initial, tolerance +/- 10%

The company reserves the right to make design changes or upgrades in the presented product.  
Product data sheet does not constitute an offer.

Revision date: 2017-05-26



Lena Lighting S.A.  
ul. Kornicka 52  
63-000 Sroda Wielkopolska

tel. +48 (61) 28 60 300  
fax.+48 (61) 28 54 059  
e-mail: office@lenalighting.pl  
www.lenalighting.pl



The luminaire complies with the EU ROHS Directive 2011/65/UE.



This product is a subject to electric and electronic waste equipment regulations (WEEE).



45/2016